

No.  
448

Patons

KNITTING BOOK

No.  
448

PATONS BLUEBELL CREPE,  
PATONS SWIFTAKNIT BOTANY WOOL,  
or PATONS CAIRN FINGERING



Page 8

Page 9

P&B  
WOOLS

1/6  
3



# Drake

IN TWO SIZES

**PATONS BLUEBELL CREPE,  
PATONS CAIRN FINGERING,  
or PATONS SWIFTAKNIT  
BOTANY WOOL**

ALL PURE WOOL

Size A—36-37 inch chest.

Bluebell or Swiftaknit . . . 15 balls  
Cairn . . . . . 17 balls

Size B—39-40 inch chest.

Bluebell or Swiftaknit . . . 18 balls  
Cairn . . . . . 20 balls

*If desiring to have bands machine knitted,  
extra wool will be required.*

Length from top of shoulder—

Size A . . 23½ ins. Size B . . 25½ ins.

Length of sleeve seam—

Both Sizes, 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen  
Bee Knitting Needles, 1 pair each Nos. 9  
and 12, measured on a Beehive Needle  
Gauge. A Cable Needle.

ABBREVIATIONS: See page 13.

TENSION: To get these measurements it  
is absolutely necessary to work at a ten-  
sion to produce 13½ stitches to 2 inches  
in width, measured over plain, smooth  
fabric. Check tension—see page 13.

*Instructions are for smaller size A. Larger size B is  
shown thus [B—...].*

**THE FRONT**—Using No. 12 Needles, cast on 128  
[B—136] stitches.

1st row.—K.3, \* P.2, K.2, rep. from \* to last st., K.1.

2nd row.—P.1, \* P.2, K.2, rep. from \* to last 3 sts.,  
P.3.

Rep. 1st and 2nd rows twenty times.

Using No. 9 Needles, proceed as follows:—

\*\* 1st row.—K.43 [B—K.47], P.5, K.12, P.8, K.12,  
P.5, K.43 [B—K.47].

2nd row.—P.43 [B—P.47], K.5, P.12, K.8, P.12, K.5,  
P.43 [B—P.47].

3rd row.—K.43 [B—K.47], P.5, \* slip next 3 sts. on  
to cable needle and leave at back of work, K.3, K.3 from  
cable needle, slip next 3 sts. on to cable needle and  
leave at front of work, K.3, K.3 from cable needle, \*  
P.8, rep. from \* to \* once, P.5, K.43 [B—K.47].

4th row.—As 2nd row. 5th row.—As 1st row.

6th row.—As 2nd row. \*\*

Continue in patt. as given from \*\* to \*\* until work  
measures 15 [B—17] ins. from commencement, finishing  
so that right side of work will be facing when working  
next row.

Cast off 9 [B—10] sts. at beg. of next 2 rows.

Next row.—K.2 tog., patt. 53 [B—patt. 56] sts., turn.

Continue in patt. on these 54 [B—57] sts., dec. once  
at beg. of needle in every alt. row twice. (52 [B—55]  
sts.)

Work 1 row in patt. without shaping.

Next row.—K.2 tog., K.27 [B—K.30], K.2 tog., work  
in patt. to end of row.

Keeping continuity of patt., dec. once at armhole edge  
in every alt. row twice, whilst at same time dec. once  
inside 21 patt. sts. as before in following 4th row once.  
(47 [B—50] sts.)

Keeping continuity of patt., dec. once at neck edge  
only inside 21 patt. sts. in every following 4th row  
until 30 [B—32] sts. remain.

Shape shoulder as follows.—

1st row.—Work to last 10 [B—10] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 20 [B—21] sts., turn.

4th row.—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts.  
to correspond with other side, working slip 1, K.1,  
p.s.s.o., instead of K.2 tog. as given for neck shaping.

**THE BACK**—Using No. 12 Needles, cast on 128  
[B—136] stitches.

1st row.—K.3, \* P.2, K.2, rep. from \* to last st., K.1.

2nd row.—P.1, \* P.2, K.2, rep. from \* to last 3 sts.,  
P.3.

Rep. 1st and 2nd rows twenty times.

*[Continued on page 12]*



# Vincent

IN THREE SIZES  
WITH OR WITHOUT SLEEVES

PATONS BLUEBELL CREPE,  
PATONS CAIRN FINGERING,  
or PATONS SWIFTAKNIT  
BOTANY WOOL

ALL PURE WOOL

Size A. 35 inch chest—

With Sleeves—

Bluebell or Swiftaknit . . . 17 balls

Cairn . . . . . 19 balls

Without Sleeves—

Bluebell or Swiftaknit . . . 11 balls

Cairn . . . . . 13 balls

Size B. 38 inch chest—

With Sleeves—

Bluebell or Swiftaknit . . . 19 balls

Cairn . . . . . 21 balls

Without Sleeves—

Bluebell or Swiftaknit . . . 12 balls

Cairn . . . . . 14 balls

Size C. 41 inch chest—

With Sleeves—

Bluebell or Swiftaknit . . . 20 balls

Cairn . . . . . 22 balls

Without Sleeves—

Bluebell or Swiftaknit . . . 13 balls

Cairn . . . . . 15 balls

If desiring to have bands machine knitted,  
extra wool will be required.

Length from top of shoulder—

Size A . . 23½ ins.    Size B . . 24½ ins.

Size C . . 26 ins.

Length of sleeve seam—

All Sizes, 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 8 and 12, one set of four No. 12, measured on a Beehive Needle Gauge.  
A Cable Needle.                      A Stitch Holder.

ABBREVIATIONS: See page 13. Slip 1 t.b.l. = slip 1 through back of loop.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 13 stitches to 2 inches in width, measured over plain, smooth fabric. Check tension—see page 13.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B— . . . ] [C— . . . ].

## THE PULLOVER WITH SLEEVES:

THE FRONT—Using No. 12 Needles, cast on 130 [B—140] [C—150] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row forty-one times, inc. once at end of needle in last row.

Using No. 8 Needles, proceed as follows:—

\*\* 1st row.—K.4, \* P.3, K.7, rep. from \* to last 7 sts., P.3, K.4.

2nd row.—P.4, \* K.3, P.7, rep. from \* to last 7 sts., K.3, P.4.

3rd row.—K.1, slip 1 t.b.l., K.2, \* P.3, K.2, slip 1, K.1, slip 1 t.b.l., K.2, rep. from \* to last 7 sts., P.3, K.2, slip 1, K.1.

4th row.—P.1, slip 1 as if to purl, P.2, \* K.3, P.2, slip 1 as if to purl, P.1, slip 1 as if to purl, P.1, slip 1 as if to purl, P.2, rep. from \* to last 7 sts., K.3, P.2, slip 1 as if to purl, P.1.

5th row.—K.1, slip next st. on to cable needle and leave at front of work, K.2, knit st. from cable needle, \* P.3, slip next 2 sts. on to cable needle and leave at back of work, K.1, knit sts. from cable needle, K.1, slip next st. on to cable needle and leave at front of work, K.2, knit st. from cable needle, rep. from \* to last 7 sts., P.3, slip next 2 sts. on to cable needle and leave at back of work, K.1, knit sts. from cable needle, K.1.

6th row.—As 2nd row. \*\*

Rep. from \*\* to \*\* until work measures 15 [B—16] [C—17] ins. from commencement, ending so that right side of work will be facing when working next row.

Cast off 6 [B—8] [C—10] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 103 [B—109] [C—115] sts. remain. \*\*\* Work 33 [B—33] [C—39] rows in patt. without shaping.

Next row.—Work 42 [B—44] [C—46] sts. in patt., turn.

Continue in patt. on these 42 [B—44] [C—46] sts., dec. once at end of needle in every alt. row until 32 [B—34] [C—36] sts. remain.

Work 14 rows in patt. without shaping.

[Continued on page 12]



# Raleigh

IN TWO SIZES  
WITH OR WITHOUT SLEEVES

PATONS BLUEBELL CREPE,  
PATONS CAIRN FING.,  
or PATONS SWIFTAKNIT  
BOTANY WOOL

ALL PURE WOOL

NOTE: This pattern is reversible and therefore may be made up on which ever side is preferred.

Size A. 36 inch chest—

With Sleeves—

Bluebell or Swiftaknit .. 16 balls

Cairn .. 18 balls

Without Sleeves—

Bluebell or Swiftaknit .. 10 balls

Cairn .. 11 balls

Size B. 40 inch chest—

With Sleeves—

Bluebell or Swiftaknit .. 17 balls

Cairn .. 19 balls

Without Sleeves—

Bluebell or Swiftaknit .. 11 balls

Cairn .. 13 balls

If desiring to have bands machine knitted, extra wool will be required.

Length from top of shoulder—

Size A .. 23½ ins. Size B .. 25½ ins.

Length of sleeve seam—

Both Sizes, 20 ins. (or length desired)

Patons Beehive Knitting Needles or  
Queen Bee Knitting Needles, 1 pair  
each Nos. 9 and 12, measured on a  
Beehive Needle Gauge.

ABBREVIATIONS: See page 13. 0 = No rows.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width, measured over plain, smooth fabric. Check tension—see page 13.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

## THE PULLOVER WITH SLEEVES:

THE FRONT—Using No. 12 Needles, cast on 114 [B—120] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row thirty-nine times.

41st row.—Rib 4 [B—rib 8], \* inc. once in next st., rib 14 [B—rib 5], rep. from \* to last 5 [B—10] sts., inc. once in next st., rib 4 [B—rib 9]. (122.[B—138] sts.)

Using No. 9 Needles, proceed as follows:—

\*\* 1st row (wrong side of work).—P.2, \* K.6, P.2, rep. from \* to end of row.

2nd row.—K.2, \* P.6, K.2, rep. from \* to end of row.

3rd row.—K.2, \* P.1, K.4, P.1, K.2, rep. from \* to end of row.

4th row.—P.2, \* K.1, P.4, K.1, P.2, rep. from \* to end of row.

5th row.—K.2, \* K.1, P.1, K.2, P.1, K.3, rep. from \* to end of row.

6th row.—P.2, \* P.1, K.1, P.2, K.1, P.3, rep. from \* to end of row.

7th row.—K.2, \* K.2, P.2, K.4, rep. from \* to end of row.

8th row.—P.2, \* P.2, K.2, P.4, rep. from \* to end of row.

9th and 10th rows.—As 7th and 8th rows.

11th and 12th rows.—As 5th and 6th rows.

13th and 14th rows.—As 3rd and 4th rows.

15th and 16th rows.—As 1st and 2nd rows. \*\*

Continue in patt. as given from \*\* to \*\* until work measures 15 [B—17] ins. from commencement, finishing so that right side of work will be facing when working next row.

Cast off 5 [B—8] sts. at beg. of next 2 rows. \*\*\* Next row.—K.2 tog., patt. 52 [B—patt. 57] sts., K.2 tog., turn.

Keeping continuity of patt., dec. once at armhole edge in every alt. row six times, whilst at same time dec. once at neck edge in every following 4th row three times. (45 [B—50] sts.)

Continue dec. at neck edge only in every following 4th row until 30 [B—34] sts. remain.

Work 4 [B—0] rows without shaping.

Shape shoulder as follows.—

1st row.—Work to last 8 [B—9] sts., turn.

2nd and alt. rows.—Work to end of row.

3rd row.—Work to last 16 [B—18] sts., turn.

5th row.—Work to last 23 [B—26] sts., turn.

6th row.—As 2nd row. Cast off.

## Raleigh

See opposite page

# A Jumper with a reversible stitch

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work exactly as given for Front to \*\*\*.

Dec. once at each end of needle in next and every alt. row until 98 [B—108] sts. remain.

Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

**1st and 2nd rows.**—Work to last 8 [B—9] sts., turn.

**3rd and 4th rows.**—Work to last 16 [B—18] sts., turn.

**5th and 6th rows.**—Work to last 23 [B—26] sts., turn.

**7th and 8th rows.**—Work to last 30 [B—34] sts., turn.

**9th row.**—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 58 [B—66] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row thirty-six times.

Using No. 9 Needles, work as given from \*\* to \*\* for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th row until there are 88 [B—98] sts. on needle, then in every following 6th row until there are 100 [B—110] sts. on needle.

Continue in patt. without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 3 [B—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 66 [B—74] sts. remain, then in every row until 32 [B—36] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 79 [B—79] sts. evenly along left side of neck (knitting up last st. from centre front), 78 [B—78] sts. along right side of neck and 31 [B—33] sts. across back of neck. (188 [B—190] sts.)

**1st row.**—\* K.1, P.1, rep. from \* to end of row.

Work 7 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre stitch plain on right side of work. Cast off loosely in rib.

## THE PULLOVER WITHOUT SLEEVES:

**THE FRONT**—Work exactly as given for Pullover with Sleeves to end of 16th row \*\*.

Rep. from \*\* to \*\* until work measures 14 [B—16] ins. from commencement, ending so that right side of work will be facing when working next row.



Cast off 5 [B—8] sts. at beg. of next 2 rows. \*\*\*

Dec. once at each end of needle in next and every alt. row until 104 [B—114] sts. remain.

Work 1 row without shaping.

Next row.—K.2 tog., patt. 48 [B—patt. 53] sts., K.2 tog., turn.

Keeping continuity of patt., dec. once at beg. of needle in every alt. row twice [B—twice], whilst at same time dec. once at neck edge in following 4th row once [B—once]. (47 [B—52] sts.)

Continue dec. at neck edge only in every following 4th row until 30 [B—34] sts. remain.

Work 4 [B—0] rows in patt. without shaping.

Shape shoulder as given for Pullover with Sleeves.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work exactly as given for Front to \*\*\*.

Dec. once at each end of needle in next and every alt. row until 98 [B—108] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as given for Pullover with Sleeves.

**THE NECKBAND**—Work as given for Pullover with Sleeves.

**THE ARMHOLE BANDS**—Using a flat seam for ribbing and a fine back-stitch seam, sew up left shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 178 [B—182] sts. evenly round armhole.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row seven times. Cast off loosely in rib.

Work other Armhole Band in same manner.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves placing seams to side seams.

For Pullover without Sleeves—Sew up side seams.

Finally, press all seams.





# Cunningham

IN THREE SIZES  
WITH "V" OR ROUND NECK

**PATONS BLUEBELL CREPE,  
PATONS CAIRN FINGERING,  
or PATONS SWIFTAKNIT  
BOTANY WOOL**

ALL PURE WOOL

**Size A.** 34-35 inch chest—  
Bluebell or Swiftaknit . . . 16 balls  
Cairn . . . . . 18 balls

**Size B.** 37-38 inch chest—  
Bluebell or Swiftaknit . . . 17 balls  
Cairn . . . . . 19 balls

**Size C.** 40-41 inch chest—  
Bluebell or Swiftaknit . . . 19 balls  
Cairn . . . . . 21 balls

*If desiring to have bands machine knitted,  
extra wool will be required.*

Length from top of shoulder—  
**Size A** . . 23½ ins. **Size B** . . 24½ ins.  
**Size C** . . 26 ins.

Length of sleeve seam—  
**All Sizes**, 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen  
Bee Knitting Needles, 1 pair each Nos. 9  
and 12, measured on a Beehive Needle  
Gauge. A Stitch Holder.

ABBREVIATIONS: See page 13.

**TENSION:** To get these measurements it  
is absolutely necessary to work at a  
tension to produce 13½ stitches to 2  
inches in width, measured over plain,  
smooth fabric. Check tension—see  
page 13.

*Instructions are for smallest size A. Larger sizes B and  
C are shown thus [B—...] [C—...].*

## THE PULLOVER WITH V NECK:

**THE FRONT**—Using No. 12 Needles, cast on 120  
[B—130] [C—140] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.  
Rep. 1st row thirty-nine times, inc. once at end of  
needle in last row. (121 [B—131] [C—141] sts.)

Using No. 9 Needles, proceed as follows:—

**\*\* 1st row.**—\* K.1 t.b.l., P.4, rep. from \* to last st.,  
K.1 t.b.l.

**2nd row.**—\* P.1 t.b.l., K.4, rep. from \* to last st.,  
P.1 t.b.l.

**3rd row.**—\* K.1 t.b.l., P.3, K.1 t.b.l., P.1, K.1 t.b.l.,  
P.3, rep. from \* to last st., K.1 t.b.l.

**4th row.**—P.1 t.b.l., \* K.3, P.1 t.b.l., K.1, P.1 t.b.l.,  
K.3, P.1 t.b.l., rep. from \* to end of row.

**5th row.**—\* K.1 t.b.l., P.2, (K.1 t.b.l., P.1) twice,  
K.1 t.b.l., P.2, rep. from \* to last st., K.1 t.b.l.

**6th row.**—P.1 t.b.l., \* K.2, (P.1 t.b.l., K.1) twice,  
P.1 t.b.l., K.2, P.1 t.b.l., rep. from \* to end of row.

**7th row.**—\* K.1 t.b.l., P.1, rep. from \* to last st.,  
K.1 t.b.l.

**8th row.**—P.1 t.b.l., \* K.1, P.1 t.b.l., rep. from \* to  
end of row.

**9th row.**—As 5th row. **10th row.**—As 6th row.

**11th row.**—As 3rd row. **12th row.**—As 4th row.

**13th row.**—As 1st row. **14th row.**—As 2nd row.

**15th row.**—\* P.1, (K.1 t.b.l., P.3) twice, K.1 t.b.l.,  
rep. from \* to last st., P.1.

**16th row.**—K.1, \* (P.1 t.b.l., K.3) twice, P.1 t.b.l.,  
K.1, rep. from \* to end of row.

**17th row.**—\* K.1 t.b.l., P.1, (K.1 t.b.l., P.2) twice,  
K.1 t.b.l., P.1, rep. from \* to last st., K.1 t.b.l.

**18th row.**—P.1 t.b.l., \* K.1, (P.1 t.b.l., K.2) twice,  
P.1 t.b.l., K.1, P.1 t.b.l., rep. from \* to end of row.

**19th row.**—\* P.1, K.1 t.b.l., rep. from \* to last st., P.1.

**20th row.**—K.1, \* P.1 t.b.l., K.1, rep. from \* to end  
of row.

**21st row.**—As 17th row.

**22nd row.**—As 18th row. **23rd row.**—As 15th row.

**24th row.**—As 16th row. \*\*

Continue in patt. as given from \*\* to \*\* until work  
measures 15 [B—16] [C—17] ins. from commence-  
ment, finishing so that right side of work will be facing  
when working next row.

Cast off 5 [B—8] [C—9] sts. at beg. of next 2  
rows. \*\*\*

Next row.—K.2 tog., patt. 52 [B—patt. 54]  
[C—patt. 58] sts., K.2 tog., turn.

[Continued on page 14]

# Collins

IN THREE SIZES  
ALSO ILLUSTRATED ON BACK COVER

**PATONS BLUEBELL CREPE,  
PATONS CAIRN FINGERING,  
or PATONS SWIFTAKNIT  
BOTANY WOOL**

ALL PURE WOOL

Size A. 37 inch chest—

Bluebell or Swiftaknit, 9 balls. Cairn, 10 balls

Size B. 40 inch chest—

Bluebell or Swiftaknit, 10 balls. Cairn, 11 balls

Size C. 43 inch chest—

Bluebell or Swiftaknit, 11 balls. Cairn, 13 balls

Length from top of shoulder—

Size A, 21 ins. Size B, 21½ ins. Size C, 21½ ins.

Patons Beehive Knitting Needles or Queen Bee Knitting  
Needles, 1 pair each Nos. 9 and 12, measured on a  
Beehive Needle Gauge.

Six Medium Beutron Buttons.

ABBREVIATIONS: See page 13.

TENSION: To get these measurements it is absolutely  
necessary to work at a tension to produce 13½ stitches  
to 2 inches in width, measured over plain, smooth  
fabric. Check tension—see page 13.

Instructions are for smallest size A. Larger sizes B and  
C are shown thus [B—... ] [C—... ].

**THE LEFT FRONT**—Using No. 12 Needles, cast on  
112 [B—118] [C—122] stitches.

1st row.—\* K.1, P.1, rep. from \* to last 2 sts., K.2.  
Rep. 1st row three times.

5th row.—(K.1, P.1) nine [B—twelve] [C—fourteen]  
times, K.1, P.2 tog., w.r.n., (P.1, K.1) forty-three times,  
P.2 tog., w.r.n., P.1, K.2.

Rep. 1st row fifteen times.

21st row.—As 5th row. Rep. 1st row fifteen times.

37th row.—As 5th row. Rep. 1st row twice.

40th row.—As 1st row, inc. once in last st. for sizes  
A and C only. (113 [B—118] [C—123] sts.)

Using No. 9 Needles, proceed as follows.—

\*\* 1st row.—Knit to last 10 sts., slip 1, K.1, p.s.s.o.,  
(K.1, P.1) three times, K.2.

2nd row.—(K.1, P.1) four times, purl to end of row. \*\*  
Rep. from \*\* to \*\* twenty-five times. (87 [B—92]  
[C—97] sts.)

Dec. once at front edge (inside ribbed band) in 2nd  
and every following 3rd row until 81 [B—86] [C—91]  
sts. remain.

Work 1 row without shaping.

Cast off 10 [B—10] [C—13] sts. at beg. of next row.

Continue dec. at front edge (inside border) in next  
row and every following 3rd row seven times, whilst at  
same time dec. once at armhole edge in every alt. row  
eleven times. (52 [B—57] [C—59] sts.)

Continue dec. at front edge only in every following  
3rd row until 33 [B—36] [C—38] sts. remain.

Work 1 row without shaping.



Shape shoulder as follows:—

1st row.—Work to last 8 [B—9] [C—10] sts., turn.

2nd and alt. rows.—Work to end of row.

3rd row.—Work to last 16 [B—18] [C—20] sts., turn.

5th row.—Work to last 25 [B—28] [C—30] sts., turn.

7th row.—As 2nd row.

8th row.—Cast off 25 [B—28] [C—30] sts., rib 8.

Work 2½ [B—2¾] [C—2¾] ins. in rib on remaining  
8 sts. Cast off in rib.

**THE RIGHT FRONT**—Using No. 12 Needles, cast  
on 112 [B—118] [C—122] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.  
Rep. 1st row thirty-nine times, inc. once at beg. of  
needle in last row for sizes A and C only. (113  
[B—118] [C—123] sts.)

Using No. 9 Needles, proceed as follows:—

\*\* 1st row.—K.2, (P.1, K.1) three times, K.2 tog., knit  
to end of row.

2nd row.—Purl to last 8 sts., (P.1, K.1) four times. \*\*  
Work to correspond with Left Front, working shapings  
at opposite ends of needle.

**THE BACK**—Using No. 12 Needles, cast on 126  
[B—136] [C—146] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.  
Rep. 1st row thirty-nine times.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit.

2nd row.—Purl.

{Continued on page 15

# Nelson

IN TWO SIZES—ALSO ILLUSTRATED ON FRONT COVER

## PATONS BLUEBELL CREPE, PATONS CAIRN FINGERING, or PATONS SWIFTAKNIT BOTANY WOOL

ALL PURE WOOL

Size A .. 36 inch chest .. Bluebell or Swiftaknit, 18 balls. Cairn, 20 balls  
Size B .. 39 inch chest .. Bluebell or Swiftaknit, 21 balls. Cairn, 23 balls  
*If desiring to have bands machine knitted, extra wool will be required.*

Length from top of shoulder—Size A .. . 24½ ins. Size B .. . 26 ins.

Length of sleeve seam—Both Sizes .. . 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each  
Nos. 9 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

A Cable Needle. Two Stitch Holders.

ABBREVIATIONS: See page 13.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width, measured over plain, smooth fabric. Check tension—see page 13.



NELSON

*Instructions are for smaller size A. Larger size B is shown thus [B—...].*

**THE FRONT**—Using No. 12 Needles, cast on 120 [B—138] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row forty times.

**42nd row.**—Rib 4 [B—rib 13], \* inc. once in next st., rib 7, rep. from \* to last 4 [B—13] sts., inc. once in next st., rib 3 [B—rib 12]. (135 [B—153] sts.) Using No. 9 Needles, proceed as follows:—

**\*\* 1st row.**—\* P.1, K.7, P.1, rep. from \* to end of row.

**2nd row.**—\* K.1, P.7, K.1, rep. from \* to end of row. **3rd row.**—\* P.1, K.3, slip next 2 sts. on to cable needle and leave at front of work, knit next 2 sts., then knit 2 sts. from cable needle, P.1, rep. from \* to end of row.

**4th row.**—As 2nd row. **5th row.**—As 1st row.

**6th row.**—As 2nd row. \*\*

Continue in patt. as given from \*\* to \*\* until work measures 16 [B—17] ins. from commencement, finishing so that right side of work will be facing when working next row.

Cast off 6 [B—12] sts. at beg. of next 2 rows, then dec once at each end of needle in next and every alt. row until 111 [B—117] sts. remain. \*\*\*

Work 47 [B—49] rows in patt. without shaping. Next row.—Work 43 [B—45] sts. in patt., turn.

Keeping continuity of patt. on these 43 [B—45] sts., dec. once at neck edge in every alt. row until 36 [B—38] sts. remain.

Work 10 [B—14] rows in patt. without shaping.

Shape shoulder as follows:—

**1st row.**—Work to last 9 [B—9] sts., turn.

**2nd and alt. row.**—Work to end of row.

**3rd row.**—Work to last 18 [B—18] sts., turn.

**5th row.**—Work to last 27 [B—28] sts., turn.

**6th row.**—As 2nd row. Cast off.

Slip next 25 [B—27] sts. on to a stitch holder and leave.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work exactly as given for Front to \*\*\*. Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

**1st and 2nd rows.**—Work to last 9 [B—9] sts., turn.

**3rd and 4th rows.**—Work to last 18 [B—18] sts., turn.

**5th and 6th rows.**—Work to last 27 [B—28] sts., turn.

**7th and 8th rows.**—Work to last 36 [B—38] sts., turn.

**9th row.**—Work to end of row.

**10th row.**—Cast off 36 [B—38] sts., work 39 [B—41] sts. Cast off 36 [B—38] sts., slip remaining 39 [B—41] sts. on to a stitch holder.

**THE SLEEVES**—Using No. 12 Needles, cast on 64 [B—72] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row thirty-four times.

**36th row.**—Rib 4, \* inc. once in next st., rib 7, rep. from \* to last 4 sts., inc. once in next st., rib 3. (72 [B—81] sts.)

Using No. 9 Needles, work in patt. as given from \*\* to \*\* for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th row until there are 94 [B—99] sts. on needle, then in every following 6th row until there are 116 [B—121] sts. on needle.

Continue in patt. without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 3 [B—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 80 [B—77] sts. remain, then in every row until 38 [B—39] sts. remain. Cast off.

Work another Sleeve in same manner.

[Continued on page 14]



# Hardy

IN THREE SIZES—ALSO ILLUSTRATED ON FRONT COVER

## PATONS BLUEBELL CREPE, PATONS CAIRN FINGERING, or PATONS SWIFTAKNIT BOTANY WOOL

ALL PURE WOOL

Size A .. 36-37 inch chest .. Bluebell or Swiftaknit, 21 balls. Cairn, 24 balls.  
Size B .. 39-40 inch chest .. Bluebell or Swiftaknit, 22 balls. Cairn, 25 balls.  
Size C .. 42-43 inch chest .. Bluebell or Swiftaknit, 24 balls. Cairn, 27 balls.

If desiring to have bands machine knitted, extra wool will be required.

Length from top of shoulder—Size A, 23½ ins. Size B, 24½ ins. Size C, 26 ins.

Length of sleeve seam—All Sizes .. .. . 20 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each  
Nos. 9 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.  
Two Stitch Holders.

ABBREVIATIONS: See page 13.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width, measured over plain, smooth fabric. Check tension—see page 13.

HARDY

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...].


**THE FRONT**—Using No. 12 Needles, cast on 120 [B—130] [C—140] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.  
Rep. 1st row forty-two times, inc. once at end of needle in last row.

Using No. 9 Needles, proceed as follows:—

\*\* 1st row (wrong side of work).—Knit.

2nd row.—P.1, \* knit next st. as follows: insert needle from front to back at base of knit st. of previous row, knit this st. at same time dropping st. off left hand needle, P.1, rep. from \* to end of row. \*\*



Continue in patt. as given from \*\* to \*\* until work measures 15 [B—16] [C—17] ins. from commencement, ending with 1st row of patt.

Cast off 6 [B—10] [C—12] sts. at beg. of next 2 rows. \*\*\*

Dec. once at each end of needle in next and every following 4th row until 79 [B—81] [C—85] sts. remain.

Work 1 [B—1] [C—3] row/s without shaping.

Next row.—K.2 tog., patt. 28 [B—patt. 29] [C—patt. 29] sts., turn.

Keeping continuity of patt. on these 29 [B—30] [C—30] sts., dec. once at armhole edge in every alt. row, whilst at same time dec. once at neck edge in 2nd and every following 4th row until 2 [B—3] [C—3] sts. remain.

Work 1 row.

K.2 tog. [B—K.3 tog.] [C—K.3 tog.]. Fasten off.  
Join in wool where sts. were left, work 19 [B—19] [C—23] sts. in patt., leave these 19 [B—19] [C—23] sts. on a stitch holder and work on remaining sts. to correspond with other side.

**THE BACK**—Work exactly as given for Front to \*\*\*.  
Dec. once at each end of needle in next and every following 4th row until 79 [B—81] [C—83] sts. remain.

Work 1 row without shaping.

Dec. once at each end of needle in next and every alt. row until 39 [B—39] [C—43] sts. remain.

Leave these sts. on a stitch holder.

**THE SLEEVES**—Using No. 12 Needles, cast on 66 [B—68] [C—70] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.  
Rep. 1st row thirty-four times, inc. once at end of needle in last row..

Using No. 9 Needles, proceed in patt. as given from \*\* to \*\* for Front three times, then 1st row once.

Inc. once at each end of needle in next and every following 8th row until there are 107 [B—115] [C—121] sts. on needle.

Continue in patt. without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 6 [B—10] [C—12] sts. at beg. of next 2 rows.

[Continued on page 15]



# Renown

IN TWO SIZES

**PATONS BLUEBELL CREPE,  
PATONS CAIRN FINGERING,  
or PATONS SWIFTAKNIT  
BOTANY WOOL**

ALL PURE WOOL

Size A. 36 inch chest—

Bluebell or Swiftaknit . . . . . 10 balls  
Cairn . . . . . 11 balls

Size B. 40 inch chest—

Bluebell or Swiftaknit . . . . . 11 balls  
Cairn . . . . . 13 balls

*If desiring to have bands machine knitted, extra wool will be required.*

Length from top of shoulder—

Size A . . 23½ ins.      Size B . . 25½ ins.

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 13.

**TENSION:** To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width, measured over plain, smooth fabric. Check tension—see page 13.

*Instructions are for smaller size A. Larger size B is shown thus [B—...].*

**THE FRONT**—Using No. 12 Needles, cast on 116 [B—128] stitches.

Work in K.1, P.1 rib for 3½ ins.

Next row.—Rib 2 [B—rib 8], (inc. once in next st., rib 15) seven times, inc. once in next st., P.1 [B—rib to end of row]. (124 [B—136] sts.)

Using No. 9 Needles, proceed as follows:—

**\*\* 1st row.**—Knit.

**2nd row.**—\* K.1, P.2, K.1, rep. from \* to end of row.

**3rd row.**—Knit.

**4th row.**—\* P.1, K.2, P.1, rep. from \* to end of row. \*\*

Rep. from \*\* to \*\* until work measures 13½ [B—15] ins. from commencement.

Cast off 10 [B—11] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 88 [B—98] sts. remain. \*\*\*

Work 1 row.

Next row.—Patt. 44 [B—patt. 49] sts., turn.

Keeping continuity of patt., dec. once at neck edge in every following 4th row until 28 [B—33] sts. remain. Continue without shaping until work measures 10 [B—10½] ins. from beg. of armhole shaping, finishing at neck edge.

Shape shoulder as follows:—

**1st row.**—Work to last 9 [B—11] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 18 [B—22] sts., turn.

**4th row.**—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Front to \*\*\*.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

**1st and 2nd rows.**—Work to last 9 [B—11] sts., turn.

**3rd and 4th rows.**—Work to last 18 [B—22] sts., turn.

**5th and 6th rows.**—Work to last 28 [B—33] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE NECKBAND**—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 75 [B—79] sts. along left side of neck (knitting up last st. from centre front), 74 [B—78] sts. along right side of neck and 35 [B—35] sts. across back of neck. (184 [B—192] sts.)

**1st row.**—\* K.1, P.1, rep. from \* to end of row.

*[Continued on page 15]*



# Beatty

IN TWO SIZES  
ALSO ILLUSTRATED ON BACK COVER

**PATONS BLUEBELL CREPE,  
PATONS CAIRN FINGERING,  
or PATONS SWIFTAKNIT  
BOTANY WOOL**

ALL PURE WOOL

Size A. 39-40 inch chest—

Bluebell or Swiftaknit, 16 balls. Cairn, 18 balls

Size B. 43-44 inch chest—

Bluebell or Swiftaknit, 19 balls. Cairn, 21 balls

Length from top of shoulder—

Size A . . . 24 ins. Size B . . . 25½ ins.

Length of sleeve seam—Both Sizes, 20 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge.

Two Stitch Holders

16 inch Lightning Open-end Slide Fastener.

ABBREVIATIONS: See page 13.

**TENSION:** To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width, measured over plain, smooth fabric. Check tension—see page 13.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

**THE LEFT FRONT**—Using No. 12 Needles, cast on 68 [B—76] stitches.

1st row.—\* K.1, P.1, rep. from \* to last 10 sts., K.10.

2nd row.—K.9, P.1, \* K.1, P.1, rep. from \* to last 2 sts., K.2.

Rep. 1st and 2nd rows five times.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit.

2nd row.—K.9, purl to end of row.

Rep. 1st and 2nd rows until work measures 15½ [B—16½] ins. from commencement, finishing so that right side of work will be facing when working next row.

Next row.—Cast off 3 [B—6] sts., knit to last 11 sts., K.2 tog., K.9.

Dec. once at armhole edge in every alt. row fifteen [B—eighteen] times, whilst at same time dec. once at front edge (inside Garter Stitch border) in every following 6th row five [B—six] times. (44 [B—45] sts.)

Continue dec. at armhole edge in every alt. row eighteen [B—twenty] times, whilst at same time dec. once at front edge (inside border) in every following 4th row nine [B—ten] times. (17 [B—15] sts.)

Dec. once at each end of needle in every following 4th row until 9 sts. remain.

Leave these 9 sts. on a stitch holder.

**THE RIGHT FRONT**—Using No. 12 Needles, cast on 68 [B—76] stitches.

1st row.—K.10, \* P.1, K.1, rep. from \* to end of row.

2nd row.—K.2, \* P.1, K.1, rep. from \* to last 10 sts., P.1, K.9.

Work to correspond with Left Front, working shapings at opposite ends of needle. When dec. at front edge work slip 1, K.1, p.s.s.o., instead of K.2 tog.

**THE BACK**—Using No. 12 Needles, cast on 136 [B—152] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row eleven times.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit.

2nd row.—Purl.

Continue in plain, smooth fabric until work measures 15½ [B—16½] ins. from commencement, finishing with a purl row.

Cast off 3 [B—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 44 [B—48] sts. remain.

Work 1 row. Cast off.

**THE SLEEVES:**

**THE LEFT SLEEVE**—Using No. 12 Needles, cast on 66 [B—74] stitches.

*[Continued on next page]*

**"BEATTY"** (continued from page 11)

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.  
Rep. 1st row thirty-nine times.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. 2nd row.—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain, smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 86 [B—106] sts. on needle, then in every following 6th row until there are 100 [B—120] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 3 [B—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 12 [B—12] sts. remain. \*\*

Cast off 6 sts. at beg. of next row and alt. row once. Fasten off.

**THE RIGHT SLEEVE**—Work exactly as given for Left Sleeve to \*\*.

Work 1 row without shaping.

Cast off 6 sts. at beg. of next row and alt. row once. Fasten off.

**TO MAKE UP**—With a slightly damp cloth and warm iron press lightly. Using a fine back-stitch seam, sew sleeves to fronts and back. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Slip 9 sts. from Left Front stitch holder on to a No. 9 Needle and continue in Garter Stitch until band is required length to fit to centre back of neck (slightly stretched). Cast off. Work other band in same manner. Using a flat seam, join bands at back of neck. Using a fine back-stitch seam, sew band in position. Sew Slide Fastener in position. Finally, press all seams.

Rep. 1st and 2nd rows twice.

Continue in plain, smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 80 [B—88] sts. on needle; then in every following 8th row until there are 98 [B—106] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 2 [B—4] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 50 [B—50] sts. remain, then in every row until 32 [B—32] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND** (Both Sizes)—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 76 sts. along left side of neck, 76 sts. along right side of neck and 40 sts. across back of neck. (192 sts.)

1st row.—P.1, \* K.2, P.2, rep. from \* to last 3 sts., K.2, P.1.

Work 9 rows in rib, dec. once at each side of centre 2 sts. of V in every row, keeping centre 2 sts. plain on right side of work.

Work 9 rows in rib, inc. once at each side of centre 2 sts. of V in every row, keeping centre 2 sts. plain on right side of work.

Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves placing seams to side seams. Fold neckband in half and sew in position on wrong side of work. Finally, press all seams.

**Drake** (continued from page 2)

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. 2nd row.—Purl.

Continue in plain, smooth fabric until work measures 15 [B—17] ins. from commencement, finishing with a purl row.

Cast off 9 [B—10] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 98 [B—104] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 10 [B—10] sts., turn.

3rd and 4th rows.—Work to last 20 [B—21] sts., turn.

5th and 6th rows.—Work to last 30 [B—32] sts., turn.

7th row.—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 64 [B—68] stitches.

1st row.—K.3, \* P.2, K.2, rep. from \* to last st., K.1.

2nd row.—P.1, \* P.2, K.2, rep. from \* to last 3 sts., P.3.

Rep. 1st and 2nd rows sixteen times.

Using No. 9 Needles, proceed as follows:—

1st row.—Knit. 2nd row.—Purl.

**Vincent** (continued from page 3)

Shape shoulder as follows:—

1st row.—Work to last 8 [B—8] [C—9] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 16 [B—16] [C—18] sts., turn.

5th row.—Work to last 24 [B—25] [C—27] sts., turn.

6th row.—As 2nd row. Cast off.

Slip next 19 [B—21] [C—23] sts. on to stitch holder, join in wool and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Front to \*\*\*.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 8 [B—8] [C—9] sts., turn.

3rd and 4th rows.—Work to last 16 [B—16] [C—18] sts., turn.

5th and 6th rows.—Work to last 24 [B—25] [C—27] sts., turn.

7th and 8th rows.—Work to last 32 [B—34] [C—36] sts., turn.

9th row.—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 70 [B—70] [C—76] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.

**A and B:** Rep. 1st row thirty-five times, inc. once at end of needle in last row. (71 sts.)

**[C:** Rep. 1st row thirty-four times.

**36th row.**—Rib 2, \* inc. once in next st., rib 17, rep. from \* to last 2 sts., inc. once in next st., K.1. (81 sts.)

Using No. 8 Needles, work in patt. as given from \*\* to \*\* for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row until there are 113 [B—113] [C—121] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 4 [B—4] [C—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 49 [B—49] [C—51] sts. remain, then in every row until 35 [B—35] [C—37] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing and using four No. 12 Needles, knit up 150 [B—154] [C—158] sts. evenly round neck (including sts. from stitch holder).

**1st round.**—\* K.1, P.1, rep. from \* to end of round. Rep. 1st round nine times. Cast off loosely in rib.

#### THE PULLOVER WITHOUT SLEEVES:

**THE FRONT**—Work as given for Front of Pullover with Sleeves to end of 6th row. \*\*

Rep. from \*\* to \*\* until work measures 14 [B—15] [C—16] ins. from commencement, ending so that right side of work will be facing when working next row.

Cast off 6 [B—8] [C—10] sts. at beg. of next 2 rows,

then dec. once at each end of needle in next and every alt. row until 103 [B—109] [C—115] sts. remain. \*\*\* Work 43 [B—43] [C—49] rows in patt. without shaping.

Next row.—Work 42 [B—44] [C—46] sts. in patt., turn.

Continue in patt. on these 42 [B—44] [C—46] sts., dec. once at end of needle in every alt. row until 32 [B—34] [C—36] sts. remain.

Work 14 rows in patt. without shaping.

Shape shoulder as given for Pullover with Sleeves.

Slip next 19 [B—21] [C—23] sts. on to stitch holder, join in wool and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Front to \*\*\*. Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders as given for Pullover with Sleeves.

**THE NECKBAND**—Work as given for Pullover with Sleeves.

**THE ARMHOLE BANDS**—With right side of work facing and using No. 12 Needles, knit up 162 [B—162] [C—170] stitches evenly round armhole.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row nine times. Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves placing seams to side seams. For Pullover without Sleeves—Sew up side seams. Finally, press all seams.



## SOME IMPORTANT INFORMATION



Avoid disappointment — buy the wool recommended. Buy wisely — buy enough of the one dye-lot — the same dye-lot cannot be repeated.

**HOW TO CHECK YOUR TENSION** — Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the wool and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. Lightly press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension given

in the instructions. All tensions are measured over plain smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.

#### ABBREVIATIONS:

K. = Knit  
P. = Purl  
sts. = stitches  
ins. = inches  
wl. fwd. = wool forward  
p.s.s.o. = pass slip stitch over  
w.o.n. = wool over needle

w.r.n. = wool round needle  
t.b.l. = through the back of the loop  
tog. = together  
beg. = beginning  
inc. = increase  
dec. = decrease

alt. = alternate  
rep. = repeat  
patt. = pattern  
incl. = inclusive  
Garter Stitch = every row plain  
ch. = chain  
s.c. = single crochet

d.c. = double crochet  
tr. = treble  
h. tr. = half treble  
l. tr. = long treble (wool over hook twice)  
sl. st. = slip stitch  
sp. = space  
w.o.h. = wool over hook

When the instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.



**Nelson** (continued from page 8)

**THE POLO COLLAR**—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing and using four No. 12 Needles, knit up 150 [B—156] sts. evenly round neck (including sts. from stitch holders).

**1st round.**—\* K.1, P.1, rep. from \* to end of round.

Rep. 1st round for 5 ins.

Using a No. 9 Needle, cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves placing seams to side seams. Finally, press all seams.

**Cunningham** (continued from page 6)

Keeping continuity of patt. on these 54 [B—56] [C—60] sts., dec. once at beg. of needle in every alt. row five times, whilst at same time dec. once at neck edge in every 4th row twice. (47 [B—49] [C—53] sts.) Continue dec. at neck edge only in 2nd row, then every following 4th row until 30 [B—32] [C—35] sts. remain.

Shape shoulder as follows:—

**1st row.**—Work to last 8 [B—8] [C—9] sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 16 [B—16] [C—18] sts., turn.

**5th row.**—Work to last 23 [B—24] [C—27] sts., turn.

**6th row.**—As 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

**THE BACK**—Work exactly as given for Front to \*\*\*.

Dec. once at each end of needle in next and every alt. row until 99 [B—103] [C—111] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

**1st and 2nd rows.**—Work to last 8 [B—8] [C—9] sts., turn.

**3rd and 4th rows.**—Work to last 16 [B—16] [C—18] sts., turn.

**5th and 6th rows.**—Work to last 23 [B—24] [C—27] sts., turn.

**7th and 8th rows.**—Work to last 30 [B—32] [C—35] sts., turn.

**9th row.**—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 64 [B—70] [C—70] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row thirty-four [B—thirty-five] [C—thirty-five] times, inc. once at end of needle in last row for sizes B and C.

**Size A only: 36th row.**—Rib 4, \* inc. once in next st., rib 8, rep. from \* to last 6 sts., inc. once in next st., rib 5. (71 sts.)

Using No. 9 Needles, work as given from \*\* to \*\* for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row until there are 91 [B—95] [C—101] sts. on needle, then in every following 4th row until there are 101 [B—109] [C—119] sts. on needle.

Continue in patt. without shaping until side edge measures 20 ins. (or length desired) from commencement.

Cast off 3 [B—5] [C—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 59 [B—61] [C—75] sts. remain, then in every row until 33 [B—35] [C—37] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 75 [B—75] [C—79] sts. along left side of neck (knitting up last st. from centre front), 74 [B—74] [C—78] sts. along right side of neck and 39 [B—39] [C—41] sts. across back of neck. (188 [B—188] [C—198] sts.)

**1st row.**—\* K.1, P.1, rep. from \* to end of row.

Work 9 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre stitch plain on right side of work. Cast off loosely in rib.

**THE PULLOVER WITH ROUND NECK:**

**THE FRONT**—Work exactly as given for Pullover with "V" neck to \*\*\*.

Dec. once at each end of needle in next and every alt. row until 99 [B—103] [C—111] sts. remain.

Work 33 [B—33] [C—35] rows without shaping.

**Next row.**—Patt. 38 [B—patt. 40] [C—patt. 44] sts., turn.

Keeping continuity of patt. on these 38 [B—40] [C—44] sts., dec. once at neck edge in every alt. row until 30 [B—32] [C—35] sts. remain.

Work 16 rows without shaping.

Shape shoulder as given for Pullover with "V" Neck.

Slip next 23 sts. on to stitch holder, join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK AND SLEEVES**—Work exactly as given for Pullover with "V" Neck.

**THE NECKBAND**—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 146 [B—146] [C—150] sts. evenly round neck (including sts. from stitch holder).

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row nine times. Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Finally, press all seams.

**Collins** (continued from page 7)

Continue in plain, smooth fabric until work measures same as Fronts to underarm, finishing with a purl row. Cast off 10 [B—10] [C—13] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 84 [B—94] [C—98] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

**1st and 2nd rows.**—Work to last 8 [B—9] [C—10] sts., turn.

**3rd and 4th rows.**—Work to last 16 [B—18] [C—20] sts., turn.

**5th and 6th rows.**—Work to last 25 [B—28] [C—30] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE ARMHOLE FACING**—Using a fine back-stitch seam, sew up shoulder seams.

With right side of work facing and using No. 12 Needles, knit up 158 [B—166] [C—170] stitches evenly round armhole.

**1st row.**—Purl.

**2nd row.**—Knit.

Rep. 1st and 2nd rows twice, then 1st row once.

Cast off loosely.

Work other Armhole Facing in same manner.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side seams. Using a flat seam, join bands together at back of neck, and sew band in position. Turn back armhole facings and sew in position on wrong side of work. Sew on buttons to correspond with buttonholes. Finally, press all seams.

**Hardy** (continued from page 9)

Dec. once at each end of needle in next and every following 4th row until 77 [B—75] [C—73] sts. re-

main, then in every alt. row until 13 [B—13] [C—13] sts. remain.

Work 1 row. Cast off in patt.

Work another Sleeve in same manner.

**THE COLLAR**—Using a fine back-stitch seam, sew sleeves to front and back.

With right side of work facing, using set of four No. 12 Needles, knit up 146 [B—146] [C—152] sts. evenly round neck (including sts. from stitch holders).

**1st round.**—\* K.1, P.1, rep. from \* to end of round.

Rep. 1st round for 4 ins.

Using a No. 9 Needle, cast off in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Turn back 1 inch of collar and sew in position on wrong side of work. Finally, press all seams.

**Renown** (continued from page 10)

Work 8 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre stitch plain on right side of work. Cast off loosely in rib.

**THE ARMHOLE BANDS**—Using a flat seam for ribbing and a fine back-stitch seam, sew up shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 162 [B—170] sts. evenly round armhole.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row eight times. Cast off loosely in rib.

Work other Armhole Band in same manner.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side seams. Finally, press all seams.

Published with All Rights Reserved by

**PATONS & BALDWIN'S**

(AUSTRALIA) LIMITED

REG. OFFICE: 84-94 FLINDERS LANE, MELBOURNE, C.1 • N.S.W. BRANCH: CHURCH AVENUE, MASCOT

Wholly Set Up and Printed in Australia



Trade Marks Registered in Australia

No.  
448

Patons

KNITTING BOOK

No.  
448

PATONS BLUEBELL CREPE,  
PATONS SWIFTAKNIT BOTANY WOOL,  
or PATONS CAIRN FINGERING



Page 11

Page 7

1/9

P&B  
WOOLS